



**Surface Water Scheme
Bathing Beach Samples (marine waters)
Preliminary Intended Results Notification**

These results are provided for guidance and are determined from the examinations undertaken during quality control testing of the samples. The enumeration results may show minor variations from the final results, which are calculated from the participants' consensus results, and included in the distribution report.

Distribution: **S113** Samples: **S113A and S113B**

Intended results:

Examinations	S113A Median	S113B Median
<i>Escherichia coli</i> in 100mL	0	41
Enterococci in 100mL	68	0
<i>Salmonella</i> spp. per L	Detected	Detected

Sample contents:

S113A	<i>Enterococcus faecalis</i> , <i>Salmonella</i> Senftenberg and <i>Pseudomonas aeruginosa</i>
S113B	<i>Escherichia coli</i> , <i>Salmonella</i> Livingstone and <i>Staphylococcus saprophyticus</i>

Laboratory identification numbers of participants who did not return results this distribution:
1647

The distribution report providing details of your individual performance and an analysis of all participants' results will be dispatched within three weeks. The report may also include sample specific comments.

Repeat samples are available for up to one year from date of this letter for participants who experienced problems with any of the examination. There is no need to wait until you have received the report to order repeat samples.

The next distribution of Surface Water Scheme samples will be Swimming Pool Waters and will be dispatched during the week beginning 2 October 2023.

If you require any technical advice or wish to make comments or suggestions relating to the scheme please contact us.

Validated by:

Zak Prior
Scheme Manager

Date: 4 September
2023

