

## Non-Pathogen Preliminary Intended Results Notification

These results are provided for guidance and are determined from the examinations undertaken during quality control testing of the samples by FEPTU. The enumeration results may show minor variations from the final results, which are calculated from the participants' consensus results, and included in the distribution report.

## Distribution: NP079 Samples: NP0213 and NP0214

## Intended results:

	NP0213	NP0214
	(*cfu g <sup>-1</sup> )	(*cfu g <sup>-1</sup> )
Presumptive Pseudomonas spp.	5.2x10 <sup>4</sup>	4.6x10 <sup>4</sup>
Yeasts	<10	<10
Moulds	<10	1.3x10 <sup>3</sup>
Coliforms	5.8x10 <sup>4</sup>	1.9x10 <sup>4</sup>
Enterobacteriaceae	6.2 x10 <sup>4</sup>	7.9x10 <sup>4</sup>
Escherichia coli	1.7x10 <sup>4</sup>	9.4x10 <sup>3</sup>
Enterococci	7.3x10 <sup>3</sup>	9.0x10 <sup>3</sup>
Lactic acid bacteria	1.2x10 <sup>4</sup>	5.8x10⁵
Aerobic colony count (30°C)	1.3x10⁵	5.1x10⁵

\* Colony forming units

## Sample contents:

NP0213	Pseudomonas aeruginosa, Enterobacter cloacae, E. coli, Providencia rettgeri and Enterococcus faecalis
NP0214	Pseudomonas fluorescens, Penicillium sp., Citrobacter freundii, Aeromonas sp., E. coli, Enterococcus casseliflavus and Lactobacillus paracasei

Laboratory identification numbers of participants who did not return results this distribution:

The distribution report providing details of your individual performance and an analysis of all participants' results will be dispatched within three weeks. The report may also include sample specific comments.

**Repeat samples** are available for up to one year from date of this letter for participants who experienced problems with any of the examination. There is no need to wait until you have received the report to order repeat samples.

The next distribution of Non-Pathogen Scheme samples will be dispatched during the week beginning 12 May 2025.

If you require any technical advice or wish to make comments or suggestions relating to the scheme please contact us

Validated by:

Divya George Healthcare Scientist Specialist

Date: 17 March 2025



0006

UK Health Security Agency, Food and Environmental Proficiency Testing Unit (FEPTU), 61 Colindale Avenue, London, NW9 5EQ, United Kingdom Tel: +44 20 8327 7119 email: foodeqa@ukhsa.gov.uk